

Bid Document

Bid Details	
Bid End Date/Time	02-04-2021 15:00:00
Bid Opening Date/Time	02-04-2021 15:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Himachal Pradesh
Department Name	Technical Education Department Himachal Pradesh
Organisation Name	N/a
Office Name	Department Of Technical Education
Total Quantity	36
Item Category	Revolving Chair , Side Table , Executive Table , Almirah Steel-IS:3312 , Chairs-Office- IS 3499
Minimum Average Annual Turnover of the Bidder	1 Lakh (s)
OEM Average Turnover (Last 3 Years)	5 Lakh (s)
Years of Past Experience required	2 Year (s)
MSE Exemption for Years Of Experience and Turnover	Yes
Startup Exemption for Years Of Experience and Turnover	Yes
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	80 %
Bid to RA enabled	No
Primary product category	Revolving Chair
Time allowed for Technical Clarifications during technical evaluation	2 Days
Inspection Required	No
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25 % percentage of total quantity.
7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant

contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Revolving Chair (32 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Stainless Steel with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	pu foam bonded chrome coted, WITHOUT ARM
	seat material	PU Foam covered with Fabric
	Material of Fabric Back Cover / Material for Backrest	pure leather
	Material of Fabric of Seat Cover	leatherite
GENERAL	Chair Type	push back
	Height Adjustment \pm 5(mm)	up to 100 mm
	Arm	Without
	Type of backrest support	backrest symmetrical lumber support
	Arm Type	NA
	Colour of Fabric for Seat and Backrest	brown, BLUE
	Ergonomic Seat Design	Yes, No
	Back type	push back
	backrest has separate adjustable headrest	Yes, No
	Seat type	fixed
	Type of locking	3-Position Locking
	Number of arm movement	2(up & down), 4(up & down end left & right), 6(Up & Down,Left & Right And Swivel), 8(Up & Down,Left & Right,Swivel And Front & Back), N.A, 6 (UP and down, front and back, swivel), 4 (UP and down, front and back)
	Lumber support	integrated, external & fixed, external & adjustable, N.A, Cushioned and upholstered Lumbar Support
DIMENSION	Overall Chair Height \pm15mm	810
	Backrest Height \pm15mm	460, 500, 520, 550, 570, 600, 730, 800, 950, 410, 430, 650, 690, 200

Specification	Specification Name	Bid Requirement (Allowed Values)
	Backrest Width ±10mm	500.0
	Seat Height ±15 mm	420, 450, 480, 500, 520
	Seat Width ±10 mm	440, 480, 500, 520, 550, 460, 360, 415, 590
	Seat Depth ±10 mm	460.0
	Thickness of MS Plate Joining the under structure with Seat	0.3
	Thickness of Plywood used in Seat ±1(mm)	15 mm
	Thickness of Plywood used in Backrest ± 1(mm)	12 mm, 15 mm, 18 mm, N.A
	Padestal Size (Diameter in mm) +/- 10 mm	715
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	25 mm, 30 mm, 35 mm, 45 mm, 50 mm, 55 mm, N.A, 60, 70, 120, 40 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	25 mm, 30 mm, 35 mm, 45 mm, 50 mm, 55 mm, N.A, 60, 70, 120, 40 mm
WARANTEE	Warrantee period in number of years	2-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES, NO
	BIFMA Certification	YES, NO
	OEM of offered product is ISO 9001:2015 certified	YES, NO
	OEM of offered product is ISO 14001:2015 certified	YES, NO
	OEM of offered product is ISO 18001:2007 certified	YES, NO
	Green guard certification	YES, NO
	Aiota	YES, NO

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kumar	174307,Principal, Government ITI Bangana village Dumkhar post office and tehsil Bangana district Una	32	45

Side Table (1 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Assembled ready to use
	Storage provided	No storage
	Number of storage unit	No storage
MISC	Frame type	Supported on wooden legs
MATERIAL	Material of top ±2mm	18 Mm Thick Three Layer Prelaminated Particles Board (Wood Product) Of Grade II Type II Of IS 12823/Latest, 19mm thick Commercial Block Board BWP grade Conforming to IS 1659
	Material of modesty panel and side panel (±2mm)	19mm thick Commercial Block Board BWP grade Conforming to IS 1659, NA
DIMENSION	Length of table top ±10mm	600 mm
	Depth of table ±10mm	450 mm
	Height of table ±10mm	650 mm
	Width of storage unit ±10mm	N.A
	Depth of storage unit ±10mm	N.A
	Height of smallest storage unit	N.A
	Height of Medium storage unit	N.A
	Height of largest storage unit	N.A
COLOUR & FINISH	Table top shade	As per buyer's choice
WARRANTY	Warrantee period in number of years	2

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kumar	174307,Principal, Government ITI Bangana village Dumkhar post office and tehsil Bangana district Una	1	45

Executive Table (1 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
	Understructure of table	Gable end and modesty panel
	Storage provided	One side
	Keyboard tray	Not provided
	Foot rest	Not Provided
MATERIAL	Table top Material	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Gable end and modesty panel material	Flat single layer prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	Leg Material	NO LEGS
MISC	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue
	Gable end and modesty panel plain side	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue
DIMENSION	Thickness of table top ± 2 mm	19.0
	Thickness of gable end and modesty panel ± 2 mm	9.0
	Length of table top ± 10 mm	1372.0
	Depth of table ± 10 mm	750.0
	Height of table ± 10 mm	750.0
	Dimension of leg(mmXmm) ± 5mm	No legs
STORAGE UNIT	Number of Storage unit provided	Single storage
	Width of storage unit ± 10 mm	400mm
FOOTREST	Material thickness of footrest ± 2mm	N.A

Specification	Specification Name	Bid Requirement (Allowed Values)
COLOUR & FINISH	Table top shade	As per Buyer's choice
WARRANTY	Warrantee period in number of years	1
CERTIFICATION	Product having BIFMA certification	YES, NO, NA
	OEM of offered product is ISO 9001:2015 certified	YES, NO, NA
	OEM of offered product is ISO 14001:2015 certified	YES, NO, NA
	OEM of offered product is ISO 18001:2007 certified	YES, NO, NA

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kumar	174307,Principal, Government ITI Bangana village Dumkhar post office and tehsil Bangana district Una	1	45

Almirah Steel-IS:3312 (1 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Conformity to Indian Standard IS:3312 latest	Yes, No
	No of shelves (Nos)	5
	Type of Shelves	Adjustable
	Locker Provided	Yes, No
	Locking System with the locker	NO, NA
	Number of Doors (Nos)	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes, No

Specification	Specification Name	Bid Requirement (Allowed Values)
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	1, 2, 3, 4, SLIDING DOORS NO HINGES, N.A
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A
	Construction	Welded
	Lock	Three Way bolting device controlled by lock, Three Way bolting device controlled by 6 lever lock, Cam Lock
MATERIAL	Material	M.S sheet conforming to commercial quality CR-1, Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1, M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312)
	Material of Almirah Doors	M S Sheet
	Sheet Thickness of Locker	0.7 mm, 0.8 mm, 0.9 mm, 1.0 mm, N.A
	Length of Glass Sheet ±10 (mm)	N.A
	Width of Glass Sheet ±10 (mm)	N.A
	Sheet Thickness of door in mm	0.8 mm (Minimum)
	Sheet Thickness of sides,back , Top and Bottom	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.8 mm
	Sheet Thickness of Pedestal in mm	0.8 mm (Minimum)
	Material of Lock	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle
	Material of Keys	brass and steel finish, steel, keys made of MAZAK / ZAMAK having nickle plated finish
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1000, 1155, 1855, 1800, 2000, 850, 1050, 1325, 1450, 1175, 700, 750, 865, 1200, 1250, 1270, 1825, 1980, 1950, 2200, 2400, 2210
	Width in mm (± 7 mm)	910.0
	Depth in mm (±5 mm)	430, 455, 480, 486, 270, 370, 400, 440, 505, 515, 535, 558
	Inside Height of Locker in mm (± 5 mm)	290 mm, 335 mm, 370 mm, 385 mm, 465 mm, 625 mm, N.A, 200 mm, 210 mm, 220 mm, 250 mm, 320 mm
	Inside Width of Locker in mm (±5 mm)	N.A

Specification	Specification Name	Bid Requirement (Allowed Values)
	Inside Depth of Locker in mm (± 5 mm)	N.A
	Width of Stiffner in mm (± 5 mm)	115 mm, 125 mm, 140 mm, 155 mm, N.A, 85 mm, 95 mm, 105 mm
	Thickness of MS Sheet of Stiffner (in mm)	0.8 mm
	Stiffened Pedestal height in mm (± 2 mm)	120, 125, 130, NA, 60
	Pedestal Width in mm (± 2 mm)	70
COLOUR & FINISH	Finish	Synthetic enamel, powder coated, Stove Enamel Paint
	Colour of Paint	AS PER BUYER CHOICE
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	3

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kumar	174307,Principal, Government ITI Bangana village Dumkhar post office and tehsil Bangana district Una	1	45

Chairs-Office- IS 3499 (1 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other than wood) used in Polythene cane Chair	solid wood, teak wood, hot pressed board, plastic net, NOT APPLICABLE, Polypropylene Copolymer (PPCP) - Moulded single piece, Teak wood section (45 mm X 22 mm)
	Material of Fabric Back Cover	leatherite
	Thickness of Plywood used in Backrest IN MM (± 1 mm)	12 mm, 18 mm
	Frame Material	STAINLESS STEEL, chrome on MS

Specification	Specification Name	Bid Requirement (Allowed Values)
	Material of Fabric of Seat Cover	Black leatherite
	Thickness of Plywood used in Seat ± 1(mm)	12 mm, 18 mm, 20 mm, 25 mm, 30 mm, 35 mm, 40 mm, N.A
	GSM/Thickness of Fabric ± 5 (Gram per Sq Meter)	220 Gram per Sq Meter, 250 Gram per Sq Meter
	Arm Material	Padded Cushion Upholsted With Leather Leatherite On Metal
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	25 mm
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	15 mm, 20 mm, 25 mm, 30 mm, 40 mm, 50 mm, 60 mm, 70 mm, 75 mm, 80 mm, N.A
GENERIC	Chair Type	With Arms
	Type of Seat and Backrest	Padded with Polyurethane Foam
	Frame Type	Cantilever
	Castors	Without
DIMENSION	Size of Material (mm)	16 SWG 30 mm round pipe, 14 SWG 25 mm round pipe
	Chair Height ± 15(mm)	850 mm
	Seat Depth ± 10(mm)	500 mm
	Seat Width ± 10 (mm)	500 mm
	Seat Height IN MM ± 5(mm)	400
	Backrest Width ± 10(mm)	500 mm
	Backrest Height ± 10(mm)	500 mm
	Arm Length ± 5(mm)	450 mm
	Arm Width ± 2(mm)	50 mm
COLOUR & FINISH	Colour of Fabric for Seat and Backrest	black
	Paint Type	chrome
	Colour of Paint	NA, As per Buyer's choice
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	YES, NO
	OEM of offered product is ISO 9001:2015 certified	YES, NO
	OEM of offered product is ISO 14001:2015 certified	YES, NO
	OEM of offered product is ISO 18001:2007 certified	YES, NO

Specification	Specification Name	Bid Requirement (Allowed Values)
WARRANTY	Warranty period in number of years	2

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Rajesh Kumar	174307, Principal, Government ITI Bangana village Dumkhar post office and tehsil Bangana district Una	1	45

Buyer Added Bid Specific Additional Terms and Conditions

- Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address Govt ITI Bangana vil Dhumkhar PO and Tehsil Bangana Distt Una H.P 174307.
- Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.
- Bidders shall quote only those products in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.
- Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 2 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
- Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.
- Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
- Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

10. **IMPORTED PRODUCTS:** In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
11. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 100% of total value.
12. **Dedicated /toll Free Telephone No. for Service Support :** BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
13. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
14. For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
 - a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
 - b. Execution certificate by client with order value.
 - c. Any other document in support of order execution like Third Party Inspection release note, etc.
15. **NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---